



# 250 Size Charts

CALL OUT SIZE	STANDARD D/L PATTERN	ACTUAL WINDOW SIZE	SUGGESTED ROUGH OPENING
1630	2x3	17-1/2 x 35-1/2	18 x 36
1634	2x4	17-1/2 x 39-1/2	18 x 40
1638	2x4	17-1/2 x 43-1/2	18 x 44
1640	2x4	17-1/2 x 47-1/2	18 x 48
1644	2x4	17-1/2 x 51-1/2	18 x 52
1650	2x4	17-1/2 x 59-1/2	18 x 60
1660	2x5	17-1/2 x 71-1/2	18 x 72
2030	2x3	23-1/2 x 35-1/2	24 x 36
2034	2x4	23-1/2 x 39-1/2	24 x 40
2038	2x4	23-1/2 x 43-1/2	24 x 44
2040	2x4	23-1/2 x 47-1/2	24 x 48
2044	2x4	23-1/2 x 51-1/2	24 x 52
2050	2x4	23-1/2 x 59-1/2	24 x 60
2060	2x5	23-1/2 x 71-1/2	24 x 72
2430	2x3	27-1/2 x 35-1/2	28 x 36
2434	2x4	27-1/2 x 39-1/2	28 x 40
2438	2x4	27-1/2 x 43-1/2	28 x 44
2440	2x4	27-1/2 x 47-1/2	28 x 48
2444	2x4	27-1/2 x 51-1/2	28 x 52
2450	2x4	27-1/2 x 59-1/2	28 x 60
2460	2x5	27-1/2 x 71-1/2	28 x 72
2630	3x3	29-1/2 x 35-1/2	30 x 36
2634	3x4	29-1/2 x 39-1/2	30 x 40
2638	3x4	29-1/2 x 43-1/2	30 x 44
2640*	3x4	29-1/2 x 47-1/2	30 x 48
2644*	3x4	29-1/2 x 51-1/2	30 x 52
2650*	3x4	29-1/2 x 59-1/2	30 x 60
2660*	3x5	29-1/2 x 71-1/2	30 x 72

CALL OUT SIZE	STANDARD D/L PATTERN	ACTUAL WINDOW SIZE	SUGGESTED ROUGH OPENING
2830	3x3	31-1/2 x 35-1/2	32 x 36
2834	3x4	31-1/2 x 39-1/2	32 x 40
2838	3x4	31-1/2 x 43-1/2	32 x 44
2840*	3x4	31-1/2 x 47-1/2	32 x 48
2844*	3x4	31-1/2 x 51-1/2	32 x 52
2850*	3x4	31-1/2 x 59-1/2	32 x 60
2860*	3x5	31-1/2 x 71-1/2	32 x 72
3030*	3x3	35-1/2 x 35-1/2	36 x 36
3034*	3x4	35-1/2 x 39-1/2	36 x 40
3038*	3x4	35-1/2 x 43-1/2	36 x 44
3040*	3x4	35-1/2 x 47-1/2	36 x 48
3044*	3x4	35-1/2 x 51-1/2	36 x 52
3050*	3x4	35-1/2 x 59-1/2	36 x 60
3060*	3x5	35-1/2 x 71-1/2	36 x 72

- Sill Height shall not exceed 44 inches above the floor
- Minimum net clear opening shall be 5.7 square feet; exception - grade level windows may have a minimum clear opening of 5 square feet
- Minimum net clear opening height shall be 24 inches
- Minimum net clear opening width shall be 20 inches

\* Window Meets Egress Codes